RESTRICTED USE PESTICIDE

DUE TO ACUTE ORAL, DERMAL and INHALATION TOXICITY and TO GROUND WATER CONTAMINATION

For retail sale to and use only by Certified Applicators or persons under the direct supervision of a Certified Applicator, and only for those uses covered by the Certified Applicator's Certification.

KEEP OUT OF REACH OF CHILDREN



AgLogic Chemical, LLC 121 S. Estes Drive, Suite 101 Chapel Hill, NC 27514 EPA Reg. No. 87895-4

SUPPLEMENTAL LABELING FOR USE ON ORANGES AND GRAPEFRUIT IN FLORIDA

This supplemental labeling expires on April 30, 2021 and must not be used or distributed after this date.

READ THE ENTIRE LABEL FOR AGLOGIC 15GG AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

This labeling must be in the possession of the user at the time of pesticide application. "Label" as used in this supplemental labeling refers to the label booklet for AGLOGIC 15GG and this supplement.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Read entire label before using this product.

Aldicarb is known to leach through soil into ground water under certain conditions. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination. Apply this product only as specified on this label. Read the use directions and the appended Environmental Precautions and Soil Type Restrictions Tables prior to making applications. If there are any questions, contact AgLogic Chemical, LLC at 1-919-932-5800.

RESTRICTIONS FOR ORANGES AND GRAPEFRUIT IN FLORIDA

- Only for use in Florida.
- DO NOT USE ON ANY CROP OTHER THAN ORANGES AND GRAPEFRUIT IN FLORIDA.
- Do not apply more than once during the use season between November 15 through April 30 not to exceed 33 pounds of product (4.95 lbs a.i.) per acre per year.
- Do not apply at a rate of less than 25 pounds of product per acre.
- Do not make more than one application to any tree per use season.

EPA Reg. No. 87895-4

- Do not allow livestock to graze in treated areas.
- Granules must be applied and immediately covered with 3 inches or greater of soil.
- Application must only be made using motorized ground application equipment which use Positive
 Displacement Metering Units. All other application methods, including aircraft, backpack spreaders, or
 push-type spreaders are prohibited.
- Required application equipment must be calibrated and adjusted to ensure proper rate and accurate
 placement. Application equipment must be cleaned thoroughly after use. For any leftover material, see
 instructions for STORAGE AND DISPOSAL in this booklet.
- Only make applications of the product to oranges and grapefruit with applicators which use Positive Displacement Metering Units.
- Apply only during the time period (November 15 through April 30) and at sites for which written or electronic authorization has been issued by the Florida Department of Agriculture and Consumer Services (FDACS).
- Do not apply within 500 feet of any drinking water well used for human consumption.
- Do not apply within 1,000 feet of any drinking water well used for human consumption on any soil series identified by the USDA Natural Resources Conservation Service as a highly permeable well-drained soil such as (but not limited to): Adamsville, Archbold, Astatula, Candler, Cassia, Lake, Neilhurst, Orsino, Palm Beach, Paola, Satellite, St. Lucie, and Tavares. The 1,000-foot setback requirement shall not apply to drinking water wells used for human consumption for which the permit applicant has furnished the Florida Department of Agriculture and Consumer Services with well construction documentation confirming that the well is continuously cased to a depth of at least 100 feet below the ground surface or at least to a minimum depth of 30 feet below the top of the shallowest water-producing zone recognized at the time of well construction.

To provide maximum performance and to minimize hazard to birds, granules must be placed into bottom of furrow and immediately covered with 3 inches or greater of soil by mechanical means. Cover granules spilled during loading, at row ends, or elsewhere to ensure the granules are completely covered with 3 inches or greater of soil.

ORANGES AND GRAPEFRUIT - FLORIDA ONLY

Crop & Time of Application	Pests Controlled	Pounds Product Acre	Application Instructions
Citrus: oranges and grapefruit only	Psyllid: Asian Citrus Psyllid (Diaphorina citri) Mites: Citrus Rust Citrus Red Texas Citrus Aphids Whiteflies Nematodes (suppression)	33 (18 to 25 ft row spacing)	Apply just prior to or during the flush of foliage growth in a band along the dripline on both sides of tree row. Apply granules in 2 to 6 furrows that are 3 inches or greater deep and spaced on approximately 12-inch centers. Immediately cover with soil by mechanical means. The width of each band should equal 1/8 the tree row spacing.
			OR
			If trees are furrow irrigated, apply granules 3 inches or greater deep in irrigation furrow using 2 shanks per furrow. Immediately cover with soil by mechanical means.
Immature Citrus Trees (1-2 years old): oranges and grapefruit only		2.0 oz/tree	Apply granules in a furrow beside individual trees and cover with 3 inches or greater of soil by mechanical means.

Environmental Precautions and Soil Type Restriction Table

Do not wash, load, or empty application equipment near any well, as this practice is a potential source of ground water contamination. In fields having soils with less than 15% field moisture holding capacity, special care must be taken not to over-irrigate, since substantial over-irrigation promotes the leaching of chemicals.

EPA Reg. No. 87895-4

Additional restrictions may be required by state or other local jurisdictions.'

GROUND WATER LIMITATIONS BASED ON SOIL TYPE

SOILS FOR WHICH RESTRICTIONS APPLY	ADDITIONAL RESTRICTIONS					
Vulnerable Citrus (oranges and grapefruit only) Soils	Do not use on oranges and grapefruit within 1000 feet of a drinking water well regardless of depth of water table, when soils (such as those listed below) have a permeability rate greater than 20 inches per hour with an available water capacity less than 0.06 in all layers to a depth of 80 inches as identified by the U.S.D.A. Natural Resources Conservation Service, unless it is known or reasonably believed based on authoritative sources that such wells are either cased to 100 feet below ground level or a minimum of 30 feet below the water table. The U.S.D.A. Natural Resources Conservation Service which serves your county can tell you if the soils in your grove(s) fall within this category. Adamsville Cassia Orsino Satellite					
	Archbold Astatula Candler	Lake Neilhurst	Palm Beach Paola	St. Lucie Tavares		
Other Soils	Do not apply AGLOGIC 15GG within <u>500 feet</u> of any drinking water well used for human consumption.					